


REVISIONS RECORD				
REV.	ECN	DESCRIPTION	CHG BY DATE	APR. BY DATE
A		RELEASED	GS 14JAN13	PD 14JAN13




EXPORT CLASSIFICATION: EAR99
 SCHEDULE B: 9011.90.0000
 HTS CODE: 9011.90.0000


THREAD CLASS: -6H, -6g
 CHAMFER THREADS 30DEG.
 TO ROOT DIA

UNLESS OTHERWISE SPECIFIED ALL
 DIMENSIONS ARE IN MILLIMETERS
 AND INCLUDE CHEMICALLY
 APPLIED OR PLATED FINISHES

UNTOLERANCED DIMENSIONS
 .XX = ± 0.13
 .X = ± 0.3
 ANGLES = $\pm 0^{\circ}30'$
 CONCENTRICITY = 0.08 TIR
 BREAK ALL SHARP EDGES:
 0.13 MIN, 0.26 MAX
 MAX SURFACE
 ROUGHNESS $0.8 \sqrt{\text{ }}$



SOLIDWORKS



SHEET 1 OF 1

QIOPTIQ Qioptiq, Inc.
 Photonics for Innovation 78 Schuyler Baldwin Dr.
 Fairport, NY 14450 USA

THIS DOCUMENT IS THE PROPRIETARY INFORMATION OF QIOPTIQ, INC.
 ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST
 FOR QUOTATION OR PERFORMANCE OF WORK FOR QIOPTIQ, INC.

TITLE: **ASSY, F CAMERA MOUNT
 OUTLINE DRAWING**

SIZE A	DWG. NO. 25-60-24-000	REV. A
------------------	---------------------------------	------------------

THIS TECHNICAL DATA IS CONTROLLED UNDER THE EXPORT
 ADMINISTRATION REGULATIONS AS EAR99 AND MAY NOT BE EXPORTED TO
 A FOREIGN PERSON, EITHER IN THE U.S. OR ABROAD, WITHOUT THE PRIOR
 WRITTEN APPROVAL OF QIOPTIQ, INC. OR AUTHORIZATION OF THE U.S.
 DEPARTMENT OF COMMERCE.

MATERIAL: DRAWN: G.SCHENKER
 14 JAN 2013

FINISH: APPROVED: P.DILLON
 14 JAN 2013

SCALE: 1:1