





REVISIONS RECORD				
REV.	ECN	DESCRIPTION	CHG BY DATE	APR. BY DATE
A		RELEASED	GS 9NOV12	PD 9NOV12



ALL DIMENSIONS ARE FOR REFERENCE ONLY

MATERIAL: ALUMINUM ALLOY

FINISH:

THIS TECHNICAL DATA IS CONTROLLED UNDER THE EXPORT ADMINISTRATION REGULATIONS AS EAR99 AND MAY NOT BE EXPORTED TO A FOREIGN PERSON, EITHER IN THE U.S. OR ABROAD, WITHOUT THE PRIOR WRITTEN APPROVAL OF QIOPTIQ, INC. OR AUTHORIZATION OF THE U.S. DEPARTMENT OF COMMERCE.

THREAD CLASS: -2A, -2B  
CHAMFER THREADS 30° TO ROOT DIA

DRAWN: G.SCHENKER  
9 NOV 12

APPROVED: P.DILLON  
9 NOV 12


EXPORT CLASSIF.  
EAR99  
SCHEDULE B  
9002.11.9000

HTS CODE  
9002.11.9000


SCALE: 1:1

UNLESS OTHERWISE SPECIFIED  
ALL DIMENSIONS ARE IN  
MILLIMETERS

UNTOLERANCED DIMENSIONS  
.XX = ±0.13  
.X = ±0.3  
ANGLES = ±0°30'  
CONCENTRICITY=0.08 TIR  
BREAK ALL SHARP EDGES:  
0.13 MIN, 0.26 MAX  
MAX SURFACE  
ROUGHNESS 0.8



SOLIDWORKS



SHEET 1 OF 1

**QIOPTIQ** Qioptiq, Inc.  
78 Schuyler Baldwin Drive  
Fairport, NY 14450 USA  
Photonics for Innovation

THIS DOCUMENT IS THE PROPRIETARY INFORMATION OF QIOPTIQ, INC. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST FOR QUOTATION OR PERFORMANCE OF WORK FOR QIOPTIQ, INC.

TITLE:  
**INLINE MOUNT  
OUTLINE DRAWING**

SIZE **B** DWG NO: **35-07-11-000** REV **A**