



REVISIONS RECORD				
REV.	ECN	DESCRIPTION	CHG BY DATE	APR. BY DATE
A		RELEASED	GS 12NOV12	PD 12NOV12




**ALL DIMENSIONS ARE FOR REFERENCE ONLY**

EXPORT CLASSIFICATION: EAR99  
SCHEDULE B: 9002.11.9000  
HTS CODE: 9002.11.9000


THREAD CLASS: -6H, -6g  
CHAMFER THREADS 30DEG.  
TO ROOT DIA

UNLESS OTHERWISE SPECIFIED ALL  
DIMENSIONS ARE IN MILLIMETERS  
AND INCLUDE CHEMICALLY  
APPLIED OR PLATED FINISHES

UNTOLERANCED DIMENSIONS  
.XX =  $\pm 0.13$   
.X =  $\pm 0.3$   
ANGLES =  $\pm 0^{\circ}30'$   
CONCENTRICITY = 0.08 TIR  
BREAK ALL SHARP EDGES:  
0.13 MIN, 0.26 MAX  
MAX SURFACE  
ROUGHNESS  $\sqrt{0.8}$



SOLIDWORKS



SHEET 1 OF 1



**Qioptiq, Inc.**  
78 Schuyler Baldwin Dr.  
Fairport, NY 14450 USA

THIS DOCUMENT IS THE PROPRIETARY INFORMATION OF QIOPTIQ, INC.  
ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST  
FOR QUOTATION OR PERFORMANCE OF WORK FOR QIOPTIQ, INC.

TITLE:

**ADAPTER, LED RINGLIGHT  
OUTLINE DRAWING**

SIZE  
**A**

DWG. NO.  
**35-07-40-000**

REV.  
**A**

THIS TECHNICAL DATA IS CONTROLLED UNDER THE EXPORT  
ADMINISTRATION REGULATIONS AS EAR99 AND MAY NOT BE EXPORTED TO  
A FOREIGN PERSON, EITHER IN THE U.S. OR ABROAD, WITHOUT THE PRIOR  
WRITTEN APPROVAL OF QIOPTIQ, INC. OR AUTHORIZATION OF THE U.S.  
DEPARTMENT OF COMMERCE.

MATERIAL:

DRAWN: G.SCHNEKER  
12 NOV 12

FINISH:

APPROVED: P.DILLON  
12 NOV 12

SCALE: 1:1